


AIRFOIL



GRILLES
DUCT
FITTINGS

making it happen sooner...



Quality
Endorsed
Company
ISO 9001
 SAI GLOBAL



**SEMI-RIGID
ALUMINIUM DUCT
SRAD**



SEMI-RIGID ALUMINIUM DUCT SRAD

PRODUCT DESCRIPTION AND APPLICATION

Airfoil's Semi Rigid Aluminium Duct (SRAD) has been tested and meets Australian Standards – AS1668.1 and 4 Zero Fire Rating – 1530.3

The SRAD is made from high quality 0.10mm thick aluminium that provides excellent flexibility without loss of strength. This lightweight duct is easy to use and manipulate on installation, provides air tight seams without the need for adhesives and is highly puncture and corrosion resistant.

The Triple Locked corrugated construction with a high operating temperature (-30°C to +240°C) and low pressure loss makes it perfect for commercial and domestic applications including kitchen range hoods, bathrooms and laundry ventilation.

Available sizes are 100mm, 125mm, 150mm, 200mm and 250mm and comes in 3m lengths.

SEMI-RIGID ALUMINIUM DUCT SRAD

PRODUCT SPECIFICATIONS AND INFORMATION

- **Product ordering code – SRAD**
- Aluminium Construction
- Semi Rigid
- 0.10mm thick
- Lightweight material
- Easy installation
- Meets Australian Standards – AS1668.1 and 4 Zero Fire Rating complies to Australian Standards – 1530.3
- Multi-layered construction
- Triple Locked corrugated
- Excellent flexibility without loss of strength
- Provides air tight seams without the need for adhesives
- Highly puncture and corrosion resistant
- Low pressure loss
- Operating temperature range: -30°C to +240°C
- Available in 3m lengths
- Suitable for commercial and domestic applications including kitchen range hoods, bathrooms, and laundry ventilation



SEMI-RIGID ALUMINIUM DUCT SRAD

ORDERING CODES

PRODUCT ORDERING CODES	
SR100	Semi Rigid Aluminium Duct 100mm diameter (4 inches) 3 metres length
SR125	Semi Rigid Aluminium Duct 125mm diameter (5 inches) 3 metres length
SR150	Semi Rigid Aluminium Duct 150mm diameter (6 inches) 3 metres length
SR200	Semi Rigid Aluminium Duct 200mm diameter (8 inches) 3 metres length
SR250	Semi Rigid Aluminium Duct 250mm diameter (10 inches) 3 metres length

